



TAG NO.	Set press.
0127SV003	
0127SV004	7Barg.
0127SV005	

Project		Client			
TAG NO.	Q.T.Y	Nominal Pres.	Nominal Dim.	Set. Pres. (Barg)	Weight (kg)
		<b>150LB</b>	<b>4N6</b>		
Suitable Medium		Medium State		Suitable Temperature(°C)	
<b>Saturated Steam</b>		<b>Vapour</b>		<b>160</b>	
Compliance with technical specifications					
Product design standards	<b>API 520 ASMEII</b>				
Test standard	<b>API 527</b>				
Centre to Face	<b>API 526</b>				
Thread standard	<b>ASME B16.5</b>				
End connection	<b>Flange</b>				
Flange pressure class	<b>150LB/150LB</b>				
<b>Other</b>					

15	Bolt	ASTM A193 B7			
14	Gasket	Non-Asbestos			
13	Guide sleeve	ASTM A351 CF3M	28	Bolt	ASTM A193 B7
12	Fill block	ASTM A182 F316L	27	Nameplate	L3
11	Disc Holder	ASTM A351 CF3M	26	Rivet	ML2
10	Jump ring		25	Locking nut	ASTM A29 1045
9	Disc	ASTM A182 F316L	24	Cap	ASTM A216 WCB
8	Adjusting ring	ASTM A351 CF3M	23	Pulling yoke	ASTM A216 WCB
7	Set screw	ASTM A29 1035	22	Lever	ASTM A216 WCB
6	Nut	ASTM A29 1035	21	Adjusting bolt	ASTM A29 1035
5	Body	ASTM A216 WCB	20	Spring washer	ASTM A29 1035
4	Plug/Gasket	Brass	19	Spring	Alloy Steel
3	Plug	ASTM A29 1025	18	Bonnet	ASTM A216 WCB
2	Nozzle	ASTM A276 316L	17	Stem	ASTM A182 F316L
1	Gasket	Non-Asbestos	16	Nut	ASTM A194 2H
<b>No.</b>	<b>Parts Name</b>	<b>Materials</b>	<b>No.</b>	<b>Parts Name</b>	<b>Materials</b>



THE BEST SOLUTION TO YOUR CORROSIVE PROBLEMS

1601, Autoroute #90,  
Suite 2105, Chamblay  
Laval, Quebec, H5L 2W3,  
CANADA

Any Copy, Reproduction Or Translation Of This  
Information Either Wholly Or In Part, Without  
The Express Written Agreement Of VALVTEC  
Canada Is Expressly Forbidden

**FULL LIFT SPRING LOADED  
STEAM SAFETY VALVE**

**TYPE  
VC48C-150LB 4N6**